

# INDEX TO VOLUME 18 OF THE JOURNAL OF THE FISHERIES RESEARCH BOARD OF CANADA

## A

- Abnormalities
  - 2: 283 (of whitefish vertebrae)
- Abundance
  - 3: 463 (fish in Boar's Back Lake, N.S.)
- Acid, deoxyribonucleic
  - 3: 349 (action of salmon enzymes on)
- Acid, lactic
  - 3: 321 (relation to rigor mortis)
  - 4: 641 (during rigor mortis)
- Acids, amino
  - 1: 85 (index, of fish flour, liver and visceral meals)
  - 4: 501 (of tropomyosin of cod, etc.)
  - 5: 851 (alpha, in salted cod)
  - 6: 1001 (in cells of marine phytoplankters)
- Acids, fatty
  - 1: 93 (free in oil of liquefied herring)
  - 1: 143 (in lipids of frozen cod muscle)
  - 4: 483 (in lipids of halibut)
  - 4: 495 (in lipids of mackerel, tuna, swordfish)
  - 6: 893 (in lipids of various Atlantic fishes)
- Acids, total volatile
  - 5: 851 (in salted cod)
- Ackman, Robert George
  - 5: 865 (fatty alcohols from marine oils)
- Adaptation
  - 3: 401 (of fish to sea water)
- Age determination
  - 1: 47 (technique using otoliths)
- Alaska
  - 3: 337 (salmon counting)
- Albacore (*Thunnus germon*)
  - 6: 1145 (distribution)
- Albumin
  - 4: 483, 495 (in flesh of Atlantic fishes)
  - 6: 893 (in flesh of various Atlantic fishes)
- Alcohols, fatty
  - 5: 865 (from marine oils)
- Ali, Mohamed Ather
  - 2: 259 (salmon eye measurements)
- Alverson, Dayton Lee
  - 6: 1145 (albacore and temperatures)
- Analysis, chemical
  - 1: 93, 113 (of liquefied herring animal feed products)
  - 3: 321 (phosphorus compounds and lactic acid in muscle)
  - 4: 483 (various sections of halibut flesh)
  - 4: 495 (mackerel, tuna, swordfish)
  - 5: 851 (of salted cod)
  - 5: 865 (of fatty alcohols from oils)
  - 6: 893 (various Atlantic fishes)
  - 6: 1001 (marine phytoplankters)
  - 6: 1017 (marine phytoplankter pigments)
- Anderson, David Victor
  - 2: 273 (morphology of Great Lakes)
  - 4: 617 (Lake Ontario energy)
- Arctic Ocean
  - 2: 253 (polar continental shelf oceanography)

- Arnold, Edward Simon
  - 3: 321 (biochemical changes in relation to rigor mortis in fish muscle)
- Ash, mineral, percentage from
  - 1: 93, 113 (liquefied herring animal feed products)
  - 4: 483 (halibut)
  - 4: 495 (mackerel, tuna, swordfish)
  - 6: 893 (various Atlantic fishes)
  - 6: 1001 (marine phytoplankters)

## B

- Bacillariophyceae
  - 6: 1027 (chemical composition)
  - 6: 1073 (pigment composition)
- Barnacle, goose (*Lepas anatifera*)
  - 2: 279 (sheltering young rockfish)
- Barracough, William Edward
  - 6: 1167 (*Leuroglossus stilbius*)
- Bay of Fundy
  - 2: 163 (oceanography)
  - 2: 221 (herring movements)
- Behaviour
  - 6: 1159 (salmon and trout)
- Bell, Gordon Russel
  - 4: 559 (kidney disease)
- Betaine
  - 2: 285 (biosynthesis in lobster)
- Bevan, Donald Edward
  - 3: 337 (counting salmon from the air)
- Biely, Jacob
  - 1: 113 (protein nutritive value of liquefied herring animal feed products)
- Bilinski, Edward
  - 2: 285 (trimethylamine oxide and betaine synthesis in lobster)
  - 5: 851 (chemical characteristics of salted cod)
- Biochemistry
  - 2: 285 (trimethylamine oxide and betaine in lobster)
  - 3: 321 (changes in relation to rigor mortis)
  - 3: 349 (of salmon nucleosides and enzymes)
  - 4: 641 (temperature and biochemical changes during rigor mortis)
- Bligh, Emerson Graham
  - 1: 143 (lipid hydrolysis in frozen cod muscle)
- Boar's Back Lake, N.S.
  - 3: 463 (morphology)
- Bone
  - 4: 483 (percentage in halibut)
  - 4: 495 (percentages in mackerel, tuna, swordfish)
- Bordeleau, Michel André
  - 5: 851 (chemical characteristics of salted cod)
- Bursa, Adam Stanislaw
  - 1: 51 (Hudson Bay phytoplankton)
  - 4: 563 (Foxe Basin phytoplankton)

## Bute Inlet, B.C.

- 6: 907 (oceanography, and wax floating on water)

## Butler, Terrance Henry

- 5: 873 (crab growth)
- 6: 1167 (*Leuroglossus stilbius*)

## C

## "Calanus" series

- 1: 51 (No. 18)
- 4: 563 (No. 17)
- 5: 663 (No. 21)

## Cambodia

- 2: 147 (fishes, artificial drying of)

## Candling

- 1: 137 (for nematodes in cod fillets)

## Carbohydrate

- 6: 1001 (in marine phytoplankters)

## Carbon

- 6: 1001 (ratios to other constituents in marine phytoplankters)

## Cardin, Aimé

- 5: 851 (chemical characteristics of salted cod)

## Carotenoids

- 6: 1001, 1017 (in marine phytoplankters)

## Castell, Charles Howell

- 3: 295, 303 (variations in quality of cod and haddock)

## Catch per unit effort

- 6: 1153 (trout in Ontario ponds)

Char, arctic (*Salvelinus alpinus*)

- 5: 793 (distribution, systematics)

Char, Dolly Varden (*Salvelinus malma*)

- 5: 793 (distribution, systematics)

Chars, (*Salvelinus* spp.)

- 5: 679 (osteology, phylogeny)

Chimaera, Atlantic (*Hydrolagus affinis*)

- 6: 893 (proximate composition)

## Claws

- 3: 367 (inactivating lobsters')

## Chlorophyceae

- 6: 1001 (chemical composition)
- 6: 1017 (pigment composition)

## Chlorophyll

- 6: 1001 (a, in marine phytoplankters)
- 6: 1017 (a, b, c, in marine phytoplankters)

## Cholesterol

- 3: 377 (hypocholesterolemic activities of fish liver oils, vitamin A)

## Chrysophyceae

- 6: 1001 (chemical composition)
- 6: 1017 (pigment composition)

Cod, Atlantic (*Gadus morhua*)

- 1: 85 (protein quality of flour, liver and visceral meal)
- 1: 137 (detection of nematodes in fillets)
- 1: 143 (lipid hydrolysis in frozen muscle)
- 3: 295, 303 (seasonal variation in quality)
- 4: 501 (amino acids of tropomyosin)
- 4: 641 (changes during rigor mortis)
- 5: 833 (light pickle salting)
- 5: 845 (partial desalting of salted)
- 5: 851 (chemical characteristics of salted)
- 5: 865 (fatty alcohols from liver oils)
- 6: 893 (proximate composition)

Cod, longfin (*Antimora rostrata*)

- 2: 291 (off British Columbia)

Cod, Pacific (*Gadus macrocephalus*)

- 4: 513 (ecology)

## Codworm (see Nematodes)

## Collin, Arthur Edwin Hodgson

- 2: 253 (polar continental shelf oceanography)

## Competition

- 2: 203 (shiners and trout)

## Composition (see Acids, amino; Analysis, chemical; Nutritive value; Oil; Protein; etc.)

## Continental shelf

- 2: 253 (oceanography of polar)

## Copes, Parzival

- 2: 259 (salmon eye measurements)

## Counting

- 3: 337 (salmon from the air)

Crabs, Pacific (*Cancer magister*)

- 5: 873 (age and growth)

## Crean, Patrick Bernard

- 5: 833 (light pickle salting of cod)
- 5: 845 (partial desalting of salted cod)

## Culture

- 6: 1001, 1017 (of marine phytoplankters)

## Currents, water

- 2: 163 (Bay of Fundy and Passamaquoddy Bay)
- 6: 907 (British Columbia mainland inlets)
- 6: 1027 (Juan de Fuca Strait)

## D

## Density (see also Salinity)

- 6: 907 (waters of British Columbia mainland inlets)
- 6: 1027 (waters of Juan de Fuca Strait)

## Detritus

- 1: 51 (in Hudson Bay)

## Diatoms (see Bacillariophyceae)

## Dinoflagellates

- 1: 51 (in Hudson Bay)

## Dinophyceae

- 6: 1001 (chemical composition)
- 6: 1017 (pigment composition)

## Disease

- 4: 559 (kidney disease of pink salmon)

## Distribution

- 1: 141 (flathead chub, trout-perch)
- 4: 513 (Pacific cod)
- 4: 563 (arctic phytoplankton)
- 5: 663 (*Calanus* spp.)
- 5: 793 (chars)
- 6: 1145 (albacore)
- 6: 1167 (*Leuroglossus stilbius*)

## Dixon Entrance, B.C.

- 3: 311 (temperature and salinity of surface waters)

Dogfish, Pacific (*Squalus suckleyi*)

- 3: 377 (hypocholesterolemic activity of liver oil)
- 5: 865 (fatty alcohols from liver oil)

## Drift bottles

- 2: 221 (Fundy region)

## Drying and drying equipment

- 2: 147 (artificial, for Cambodian fish)

Dyer, William John

- 4: 483 (variations in composition of halibut flesh)
- 4: 495 (proximate composition of mackerel, tuna, swordfish)
- 4: 641 (changes during rigor mortis of cod muscle)
- 6: 893 (proximate composition of various Atlantic fishes)

E

Eel, spiny (*Notacanthus nasus*)

- 6: 893 (proximate composition)

Ellis, Derek Victor

- 6: 1159 (photographing salmonids)

Elson, Maxine Frances

- 3: 303 (variations in quality of cod and haddock)

Energy budget

- 4: 617 (Lake Ontario)

Ensilage

- 1: 93, 113 (action for liquefaction of herring as animal food)

Enzyme

- 1: 93, 113 (proteolytic, for liquefaction of herring as animal food)
- 3: 349 (nucleoside phosphorylase from salmon organs)

Eyes

- 2: 259 (internal measurements, salmon)

F

Fat (*see* Oil)

Favorite, Felix

- 3: 311 (temperature and salinity of Washington and British Columbia coastal surface waters)

Fecundity

- 2: 293 (Lake Erie whitefish)

Feed, animal

- 1: 93, 113 (from liquefied herring)

Fillets (*see also* Analysis, chemical; Flesh)

- 1: 137 (slicing, for detection and removal of nematodes)

Fjords (*see* Inlets)

Flathead chub (*Platygobio gracilis*)

- 1: 141 (at Aklavik)

Flesh (*see also* Analysis, chemical; Quality)

- 4: 483 (composition of white and dark in halibut)
- 4: 495 (composition of white and dark in mackerel)
- 4: 637 (muscle proteins of Pacific salmon)
- 6: 893 (sectional differences in composition)

Flounder, starry (*Platichthys stellatus*)

- 3: 321 (biochemical changes in muscle in relation to rigor mortis)

Flour, fish

- 1: 85 (source of dietary protein)

Food

- 2: 203 (shiners and trout)
- 3: 423 (Lac la Ronge trout)

Fraser, Doris Isabel

- 4: 483 (variations in composition of halibut flesh)
- 4: 495 (proximate analysis of mackerel, tuna, swordfish)
- 4: 641 (changes during rigor mortis of cod muscle)
- 6: 893 (proximate composition of various Atlantic fishes)

Freeman, Harry Cleveland

- 4: 501 (amino acids of cod tropomyosin)

Freshness (*see* Quality)

G

Geiger, Shirley Evelyn

- 3: 321 (biochemical changes in relation to rigor mortis in fish muscle)

Giles, Jacqueline Grace

- 3: 295, 303 (variations in quality of cod and haddock)

Glycogen

- 1: 125 (in trout livers)
- 4: 641 (of cod flesh during rigor mortis)

Grading, quality (*see also* Quality)

- 3: 295, 303 (seasonal variations, in cod and haddock)
- 5: 833, 845 (of salted cod)

Grainger, Edward Henry

- 5: 663 (arctic *Calanus*)

Grayling (*Thymallus arcticus*)

- 5: 679 (osteology, phylogeny)

Great Lakes

- 2: 273 (morphology)

Great Slave Lake

- 3: 417 (largest fish)

Growth rate

- 1: 31 (Newfoundland herring)
- 1: 117 (Miramichi salmon)
- 3: 423 (Lac la Ronge trout)
- 3: 463 (fish of Boar's Back Lake)
- 4: 513 (Pacific cod)
- 5: 663 (*Calanus* spp.)
- 5: 873 (Pacific crab)

Gulf of St. Lawrence

- 2: 185 (tidal and temperature data)

H

Haddock (*Melanogrammus aeglefinus*)

- 1: 85 (protein quality of flour, liver and visceral meal)
- 3: 295, 303 (seasonal variations in quality)
- 6: 893 (proximate composition)

Halibut, Atlantic (*Hippoglossus hippoglossus*)

- 4: 483 (variation in composition of flesh)

Hatcheries

- 1: 125 (rations for trout)

Hawkins, Winthrop Wesley

- 1: 85 (protein quality of fish flour, liver meal, visceral meal)

Herlinveaux, Richard Henry

- 6: 1027 (oceanographic features of Juan de Fuca Strait)

Herring, Atlantic (*Clupea harengus*)

- 1: 31 (in Newfoundland waters)
- 2: 221 (movements)
- 6: 893 (proximate composition)

Herring, Pacific (*Clupea pallasii*)

- 1: 93, 113 (liquefaction for animal feed products)

- 5: 865 (fatty alcohols from oil)

## Hitz, Charles Robert

- 2: 279 (juvenile rockfishes)

## Ho, Francis Chung-Wai

- 3: 393 (coho plasma proteins)

- 5: 859 (sockeye serum constituents)

## Hochachka, Peter William

- 1: 125 (trout liver glycogen)

## Hoogland, Pieter Levinus

- 4: 501 (amino acids of cod tropomyosin)

## Houston, Arthur Hillier

- 3: 401 (adaptation of fish to sea water)

Hypocholesterolemia (*see* Cholesterol)

## I

## Ice

- 4: 563 (Foxe Basin)

## Idler, David Richard

- 1: 93, 113 (liquefied herring animal feed products)

Inconnu (*Stenodus leucichthys*)

- 5: 679 (osteology, phylogeny)

## Infraoral lamina

- 6: 1125 (of sea lamprey)

## Inlets (British Columbia coast)

- 2: 185 (oceanography)

- 6: 907 (oceanographic features)

## Insecticide

- 2: 287 (decay of hexachlorocyclohexane in sea water)

## International Passamaquoddy Fisheries Board, Scientific Reports

- 2: 163 (No. 31); 221 (No. 30)

## J

## Jangaard, Peter Michael

- 5: 865 (fatty alcohols from marine oils)

## Johannes, Robert Earl

- 2: 203 (shiners and trout)

## Juan de Fuca Strait

- 6: 1027 (oceanographic features)

## K

## Keleher, James John

- 3: 417 (record fish)

## Kennebecasis Bay, N.B.

- 2: 183 (oceanography)

## Kerr, Robert Bews

- 1: 117 (growth of Atlantic salmon)

## Ketchen, Keith Stewart

- 2: 291 (longfin cod)

- 4: 513 (Pacific cod)

## Kidney

- 3: 349 (nucleoside phosphorylase from salmon)

- 4: 559 (disease of pink salmon)

## L

## Lac la Ronge, Sask.

- 3: 423 (lake trout)

## Laframboise, André

- 5: 851 (chemical characteristics of salted cod)

## Lake Ontario

- 4: 617 (energy budget)

Lamprey, sea (*Petromyzon marinus*)

- 6: 1125 (types of infraoral lamina)

## Larkin, Peter Anthony

- 2: 203 (shiners and trout)

## Larsen, Bjørn Andreas

- 1: 85 (protein quality of fish flour, liver meal, visceral meal)

## Lawler, George Herbert

- 1: 47 (otolith preparation)

- 2: 283 (whitefish abnormalities)

- 2: 293 (whitefish fecundity)

## Legendre, Rosaire

- 2: 147 (artificial drying of Cambodian fish)

## Limnology, physical

- 3: 463 (Boar's Back Lake, N.S.)

- 4: 617 (Lake Ontario)

Lingcod (*Ophiodon elongatus*)

- 3: 377 (hypocholesterolemic activity of liver oil)

Lipid (*see also* Oil)

- 1: 143 (hydrolysis in frozen cod muscle)

- 4: 483 (in halibut)

- 4: 495 (in mackerel, tuna, swordfish)

- 6: 893 (in various Atlantic fishes)

- 6: 1001 (in marine phytoplankters)

## Liquefaction

- 1: 93, 113 (of herring for animal feed)

## Liver

- 1: 85 (meal, source of dietary protein)

- 3: 349 (nucleoside phosphorylase from salmon)

## Liver oils

- 3: 377 (dogfish and lingcod, hypocholesterolemic effect)

- 5: 865 (fatty alcohols from dogfish and cod)

Lobster (*Homarus americanus*)

- 2: 285 (biosynthesis of trimethylamine oxide and betaine)

- 3: 367 (inactivating claws)

## Mc and Mac

## McAllister, Carey Douglas

- 1: 1 (zooplankton)

## McAllister, Donald Evan

- 1: 141 (chub and trout-perch)

## McBride, John Raymond

- 1: 93, 113 (liquefied herring animal feed products)

## McCrimmon, Hugh Ross

- 6: 1153 (trout pond fishery)

## McKenzie, Russell Alderson

- 2: 221 (herring movements)

## McLeese, Donald Wilson

- 3: 367 (inactivating lobster claws)

## MacLeod, Robert Angus

- 1: 93, 113 (liquefied herring animal feed products)

## McPhail, John Donald

- 5: 793 (arctic char)

## McRae, Gordon Percy

- 1: 47 (otolith preparation)

**M**

- Mackerel, Atlantic (*Scomber scombrus*)  
 4: 495 (proximate composition)
- Maltais, François  
 5: 851 (chemical characteristics of salted cod)
- Mannan, Abdul  
 3: 349 (derivatives from deoxyribonucleic acid, using salmon enzyme)  
 4: 483 (variations in composition of halibut flesh)  
 4: 495 (proximate analysis of mackerel, tuna, swordfish)  
 6: 893 (proximate composition of various Atlantic fishes)
- March, Beryl Elizabeth  
 1: 113 (protein nutritive value of liquefied herring animal feed products)
- Marking and tagging  
 2: 221 (Fundy herring)  
 3: 383 (by radioactive iron)  
 5: 817 (incomplete reporting of tags)
- Maturity  
 1: 31 (Newfoundland herring)  
 4: 513 (Pacific cod)  
 5: 663 (*Calanus* spp.)
- Meal, fish liver and viscera  
 1: 85 (source of dietary protein)
- Migration and movements  
 2: 221 (Fundy herring)  
 3: 311 (Pacific salmon, oceanographic effects)  
 4: 513 (Pacific cod)
- Morphology and morphometry  
 2: 273 (Great Lakes)  
 3: 463 (Boar's Back Lake, N.S.)  
 5: 679 (bones of salmonids)  
 5: 793 (chars)  
 6: 1125 (lamprey teeth)  
 6: 1167 (*Leuoglossus stilbius*)
- Mortality rate  
 4: 513 (Pacific cod)  
 5: 645 (comparison of estimation methods)
- Mukerji, Girindra Nath  
 6: 1125 (lamprey infraoral laminae)
- Myxophyceae  
 6: 1001 (chemical composition)  
 6: 1027 (pigment composition)

**N**

- Nematodes  
 1: 137 (detection and removal from Atlantic cod fillets)
- Newfoundland waters  
 1: 31 (herring)
- New species  
 4: 592 (*Gyrodinium arcticum* Bursa)  
 4: 595 (*Gymnodinium intercalaris* Bursa)  
 4: 596 (*Pontosphaera ditrematolita* Bursa)
- Nitrogenous constituents (*see* Acids, amino; Analysis, chemical; Protein; Trimethylamine)

- Norden, Carroll Raymond  
 5: 679 (salmonid osteology)
- Nucleosides  
 3: 349 (from deoxyribonucleic acid using salmon enzymes)
- Nutritive value (*see also* Analysis, chemical)  
 1: 85 (and biological values of proteins of fish flour, liver and visceral meals)  
 1: 113 (liquefied herring as animal feed)

**O**

- Oak Bay, N.B.  
 2: 183 (oceanography)
- Obituary  
 4: 479 (Donald Strathearn Rawson)
- Oceanography, Arctic  
 2: 253 (Polar Continental Shelf Project)  
 4: 563 (Foxe Basin)
- Oceanography, Atlantic  
 2: 163, 221 (of proposed Passamaquoddy Power Project)
- Oceanography, Pacific  
 1: 1 (related to zooplankton distribution)  
 3: 311 (surface waters of NE Pacific)  
 6: 907 (British Columbia mainland inlets)  
 6: 1027 (Juan de Fuca Strait)  
 6: 1073 (temporal changes in NE Pacific)  
 6: 1145 (related to albacore distribution)
- Oil (*see also* Lipid; Liver oils)  
 1: 93, 113 (percentage in liquefied herring products)  
 5: 865 (fatty alcohols from)
- Olsen, Steinar  
 1: 31 (Newfoundland herring)
- Osteology  
 5: 679 (salmonid fishes)
- Otoliths  
 1: 47 (preparation of)
- Oxygen, dissolved  
 2: 195 (in waters of Quoddy region)  
 3: 463 (in a Nova Scotian brown-water lake)  
 6: 907 (in waters of British Columbia mainland inlets)  
 6: 1027 (in waters of Juan de Fuca Strait)  
 6: 1073 (in waters of NE Pacific)

**P**

- Pacific Ocean  
 3: 311 (surface water conditions in NE area)  
 6: 1073 (temporal changes in NE area)
- Paloheimo, Jyri Erkki  
 5: 645 (estimation of mortalities)
- Parasites (*see also* Nematodes)  
 3: 423 (Lac la Ronge trout)
- Parsons, Timothy Richard  
 6: 1001 (chemical composition of phytoplankters)  
 6: 1017 (pigment composition of phytoplankters)
- Passamaquoddy Bay, N.B. (*see also* Quoddy region)  
 2: 163 (oceanography)

## Passamaquoddy Power Project (proposed)

- 2: 163 (possible effects on oceanographic conditions)

Passamaquoddy Reports (*see* International Passamaquoddy Fisheries Board)

## Paulik, Gerald John

- 5: 817 (incomplete tag reporting)

## Phosphorus compounds

- 3: 321 (of fish flesh in relation to rigor mortis)
- 3: 349 (nucleosides, etc. from deoxyribonucleic acid)
- 6: 1001 (amounts, and ratio of P to other compounds in marine phytoplankters)

## Photography

- 6: 1159 (of fish under water)

## Phylogeny

- 5: 679 (salmonoid fishes)

Phytoplankton (*see* Plankton, marine)

## Pickard, George Lawson

- 6: 907 (oceanographic features of British Columbia inlets)

## Pigments

- 6: 1001 (amount, in marine phytoplankters)
- 6: 1017 (nature and amounts in marine phytoplankters)

## Plankton, freshwater

- 3: 463 (Boar's Back Lake, N.S.)

## Plankton, marine

- 1: 1 (Pacific Ocean)
- 1: 51 (Hudson Bay phytoplankton)
- 4: 563 (Foxe Basin phytoplankton)
- 5: 663 (*Calanus glacialis*, *C. finmarchicus*)
- 6: 1001 (chemical composition of plant)
- 6: 1017 (pigment composition of plant)

## Power, Harry Edwin

- 1: 137 (detection of nematodes in fillets)

## Precipitation and runoff

- 3: 311 (into surface waters of Washington and British Columbia coasts)
- 6: 907 (into inlets of mainland British Columbia coast)
- 6: 1027 (into Juan de Fuca Strait)

## Protein

- 1: 85 (and protein efficiency ratios, biological values of fish flour, liver and visceral meals)
- 1: 93, 113 (percentage and nutritive value in liquefied herring animal feeds)
- 4: 483 (percentages in halibut)
- 4: 495 (percentages in mackerel, tuna, swordfish)
- 4: 637 (of muscle of Pacific salmon)
- 6: 893 (percentages in various Atlantic fishes)
- 6: 1001 (percentages in marine phytoplankters)

## Punjamapirom, Somsee

- 4: 641 (changes during rigor mortis of cod muscle)

## Purines

- 3: 349 (from deoxyribonucleic acid by salmon enzymes)

## Pyrimidines

- 3: 349 (from deoxyribonucleic acid by salmon enzymes)

## Q

## Quality

- 1: 85 (nutritive, of fish flour, liver and visceral meals)
  - 1: 113 (nutritive, of liquefied herring)
  - 2: 147 (artificially dried Cambodian fishes)
  - 3: 295, 303 (seasonal variations, in cod and haddock)
  - 5: 833, 845 (salted cod)
- Queen Charlotte Sound, B.C.
- 3: 311 (temperature and salinity of surface waters)
- Quoddy region (*see also* Passamaquoddy Bay)
- 2: 163 (oceanography)

## R

## Radioactive iron

- 3: 383 (used to mark fish)

Ratfish, Atlantic (*Hydrolagus affinis*)

- 6: 893 (proximate composition)

## Rawson, Donald Strathearn

- 3: 423 (lake trout of Lac la Ronge, Sask.)
- 4: 479 (obituary)

Redfish (*Sebastes marinus*)

- 6: 893 (proximate composition)

Redside shiners (*Richardsonius balteatus*)

- 2: 203 (competition with trout)

## Reservoirs, tidal

- 2: 163 (of proposed Passamaquoddy Power Project)

## Rigor mortis

- 3: 321 (in relation to biochemical changes in fish muscle)
- 4: 641 (temperature and biochemical changes, in cod)

## Roberts, Eve

- 3: 321 (biochemical changes in relation to rigor mortis in fish muscle)
- 4: 637 (muscle proteins of Pacific salmon)

Rockfish, black-banded (*Sebastes nigrocinctus*)

- 2: 279 (juveniles)

Rockfish, orange (*Sebastes pinniger*)

- 2: 279 (juveniles)

## Rodgers, George Keith

- 4: 617 (Lake Ontario energy)

Rosefish (*see* Redfish)Runoff (*see* Precipitation and runoff)

## S

Salinity (*see also* Oceanography)

- 2: 192 (Quoddy region waters)
- 2: 253 (polar continental shelf waters)
- 3: 311 (surface waters off British Columbia and Washington coasts)
- 6: 907 (British Columbia mainland inlets)
- 6: 1027 (Juan de Fuca Strait)
- 6: 1073 (NE Pacific)

Salmon, Atlantic (*Salmo salar*)

- 1: 117 (age in Miramichi)
- 1: 259 (intraocular measurements)
- 5: 679 (osteology, phylogeny)

Salmon, chinook (*Oncorhynchus tshawytscha*)

- 3: 349 (nucleoside phosphorylase from organs)
- 4: 637 (muscle proteins)



- Salmon, chum (*Oncorhynchus keta*)  
 3: 349 (nucleoside phosphorylase from organs)  
 3: 401 (adaptation to sea water)
- Salmon, Pacific (*Oncorhynchus* spp.)  
 3: 311 (oceanographic effects on spawning migration)  
 4: 637 (muscle proteins)  
 5: 679 (osteology, phylogeny)  
 6: 1159 (underwater photography)
- Salmon, pink (*Oncorhynchus gorbuscha*)  
 3: 337 (aerial counts)  
 4: 559 (kidney disease)
- Salmon, sockeye (*Oncorhynchus nerka*)  
 3: 321 (biochemical changes in muscle in relation to rigor mortis)  
 3: 349 (nucleoside phosphorylase from organs)
- Salmonidae (Suborder)  
 5: 679 (osteology, phylogeny)
- Salting and salted cod (*see* Cod, Atlantic)
- Scott, David Paul  
 3: 383 (marking fish with radioactive iron)
- Seal, harp (*Phoca groenlandica*)  
 5: 865 (fatty alcohols from oil)
- Shad, American (*Alosa sapidissima*)  
 6: 893 (proximate composition)
- Silicon  
 6: 1001 (ratios to other constituents in marine phytoplankters)
- Size  
 3: 417 (Great Slave Lake fishes)  
 4: 513 (Pacific cod)
- Skin  
 4: 483 (percentage in halibut)  
 4: 495 (percentages in mackerel, tuna, swordfish)
- Smith, Morden Whitney  
 3: 463 (brown-water lake)
- Smoothtongue (*Leuroglossus stilbius*)  
 6: 1167 (British Columbia records)
- Spawning  
 1: 31 (Newfoundland herring)  
 3: 423 (lake trout)
- Stability  
 6: 907 (waters of British Columbia mainland inlets)
- Stagnation of sea water  
 6: 907 (in certain British Columbia mainland inlets)
- Statistics  
 3: 423 (lake trout)  
 6: 1153 (pond trout catches)
- Stephens, Kenneth Valentine Cory  
 6: 1001 (chemical composition of phytoplankters)
- Sterols (*see also* Cholesterol)  
 1: 143 (in frozen cod muscle)
- Stevenson, William Rodney  
 2: 259 (salmon eye measurements)
- Strait of Juan de Fuca  
 3: 311 (temperature and salinity of surface waters)
- Strickland, John Douglas Hipwell  
 6: 1001 (chemical composition of phytoplankters)
- Sturgeon, Atlantic (sea) (*Acipenser oxyrhynchus*)  
 6: 893 (proximate composition)
- Sucker, white (*Catostomus commersoni*)  
 6: 893 (proximate composition)
- Sugars  
 6: 1001 (in marine phytoplankters)
- Swordfish (*Xiphias gladius*)  
 4: 495 (proximate composition)
- ## T
- Tabata, Susumu  
 6: 1073 (temporal changes in NE Pacific waters)
- Tags (*see* Marking and tagging)
- Tarr, Hugh Lewis Aubrey  
 3: 349 (derivatives from deoxyribonucleic acid, using salmon enzyme)
- Temperature, water (*see also* Limnology; Oceanography)  
 2: 192 (Quoddy region)  
 2: 253 (polar continental shelf)  
 3: 311 (surface waters of British Columbia and Washington coasts)  
 6: 907 (British Columbia mainland inlets)  
 6: 1027 (Juan de Fuca Strait)  
 6: 1073 (NE Pacific)
- Tibbo, Simeon Noel  
 2: 221 (herring movements)
- Tides and tidal currents (*see also* Currents, water)  
 2: 163 (Bay of Fundy and Passamaquoddy Bay)  
 6: 907 (British Columbia mainland inlets)  
 6: 1027 (and tidal pump, Juan de Fuca Strait)
- Tomlinson, Neil  
 3: 321 (biochemical changes in relation to rigor mortis in fish muscle)
- Topliff, Jerome Edward  
 3: 377 (hypocholesterolemic activities of dogfish liver oil, lingcod liver oil, vitamin A)
- Transport, of water masses  
 6: 907 (in British Columbia inlets)  
 6: 1073 (in NE Pacific)
- Trimethylamine  
 2: 285 (oxide biosynthesis in lobster)  
 3: 295, 303 (in iced cod and haddock)  
 4: 483 (and oxide in halibut)  
 4: 495 (and oxide in mackerel, tuna, swordfish)  
 5: 851 (in salted cod)  
 6: 893 (and oxide in various Atlantic fishes)
- Trites, Ronald Wilmot  
 2: 163 (oceanography of proposed Passamaquoddy Power Project)
- Tropomyosin  
 4: 501 (amino acids of, Atlantic cod, etc.)

- Trout (*Salmo* spp.)  
 5: 679 (osteology, phylogeny)  
 Trout, cutthroat (*Salmo clarki*)  
 1: 125 (glycogen reserves)  
 Trout, Kamloops (*Salmo gairdneri*)  
 3: 321 (biochemical changes in muscle in relation to rigor mortis)  
 Trout, lake (*Salvelinus namaycush*)  
 3: 423 (of Lac la Ronge)  
 Trout, rainbow (*Salmo gairdneri*)  
 1: 125 (glycogen reserves)  
 2: 203 (competition with shiners)  
 3: 401 (adaptation to sea water)  
 Trout, speckled (*Salvelinus fontinalis*)  
 3: 383 (marked by radioactive iron)  
 6: 1153 (pond fishing)  
 Trout-perch (*Percopsis omiscomaycus*)  
 1: 141 (at Aklavik)  
 Truscott, Beryl  
 4: 501 (amino acids of cod tropomyosin)  
 Tsuyuki, Hiroshi  
 4: 637 (muscle proteins of Pacific salmon)  
 Tully, John Patrick  
 6: 1027 (oceanographic features of Juan de Fuca Strait)  
 Tuna, bluefin (*Thunnus thynnus*)  
 4: 495 (proximate composition)  
 Turbidity  
 6: 907 (waters of British Columbia mainland inlets)

## V

- Vanstone, William Edward  
 3: 393 (coho plasma proteins)  
 5: 859 (sockeye serum constituents)  
 Vertical distribution  
 1: 1 (Pacific zooplankton)  
 3: 423 (Lac la Ronge trout)  
 4: 513 (Pacific cod)  
 4: 563 (arctic phytoplankton)  
 Viscera  
 1: 85 (meal, source of dietary protein)

- Vitamin A  
 3: 377 (hypocholesterolemic activity in relation to fish liver oils)  
 Vladikov, Vadim Dmitrovich  
 6: 1125 (lamprey infraoral laminae)

## W

- Waddell, Alfred Ernest John  
 4: 501 (amino acids of cod tropomyosin)  
 Waldichuk, Michael  
 2: 287 (decay of hexachlorocyclohexane in sea water)  
 Waves  
 6: 907 (internal, of British Columbia mainland inlet waters)  
 Wax  
 6: 907 (floating on Bute Inlet, B.C.)  
 Weather Station "P" (see also Oceanography, Pacific)  
 1: 1 (zooplankton)  
 Werner, Arthur Eugene  
 2: 287 (decay of hexachlorocyclohexane in sea water)  
 Whitefish, common (*Coregonus clupeaformis*)  
 2: 283 (abnormal vertebrae)  
 2: 293 (fecundity)  
 Whitefishes (*Coregonus*, *Prosopium*)  
 5: 679 (osteology, phylogeny)  
 Wilder, Donald George  
 3: 367 (inactivating lobster claws)  
 Wilson, Robert McNair  
 2: 291 (longfin cod)  
 Wind  
 6: 907 (effect on waters of British Columbia mainland inlets)  
 6: 1027 (effect on Juan de Fuca Strait)  
 Wolffish, Atlantic (*Anarhichas lupus*)  
 6: 893 (proximate analysis)  
 Wood, James Douglas  
 3: 377 (hypocholesterolemic activities of dogfish liver oil, lingcod liver oil, vitamin A)



